

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

1. (Original) An electrophoretic display, comprising:
a first substrate and a second substrate disposed opposite to said first substrate,
insulating liquid disposed between said first and second substrates,
electrophoretic particles dispersed in said insulating liquid,
a partition wall disposed at a position defining a pixel between said first and
second substrates, and
a first electrode and a second electrode, which are disposed on one of said first
and second substrates, for applying an electric field to said electrophoretic particles,
wherein said first electrode is disposed in a scattering layer having a thickness of
1 – 100 μm and has an areal proportion of 0.1 – 80 % per an area of the pixel, and said second
electrode constitutes a part of said partition wall.
2. (Original) A display according to claim 1, wherein the areal proportion is 0.2
– 40 %.
3. (Original) A display according to claim 2, wherein the areal proportion is 0.5
– 10 %.

4. (Original) A display according to claim 1, wherein the scattering layer has a thickness of 2 – 30 μm .
5. (Original) A display according to claim 4, wherein the scattering layer has a thickness of 4 – 15 μm .
6. (Original) A display according to claim 1, wherein a distance between said first electrode disposed in the scattering layer and said insulating liquid is 0.05 – 10 μm .
7. (Original) A display according to claim 6, wherein the distance is 0.1 – 5 μm .
8. (Original) A display according to claim 7, wherein the distance is 0.1 – 1 μm .
9. (Original) A display according to claim 1, wherein the scattering layer in a region where said first electrode is disposed has a thickness smaller than that in another region.
10. (Original) A display according to claim 1, wherein the scattering layer has a flat surface on said insulating liquid side.
11. (New) An electrophoretic display, comprising:
 - a first substrate and a second substrate disposed opposite to said first substrate,
 - insulating liquid disposed between said first and second substrates,
 - electrophoretic particles dispersed in said insulating liquid,

a partition wall disposed at a position defining a pixel between said first and second substrates, and

a first electrode and a second electrode, which are formed of metal and disposed on one of said first and second substrates, for applying an electric field to said electrophoretic particles,

wherein said first electrode is disposed in a scattering layer having a thickness of $1 - 100 \mu\text{m}$ and has an areal proportion of $0.1 - 80 \%$ per an area of the pixel, and said second electrode constitutes a part of said partition wall.